

BANDING TOOL KIT

**AEL Range: 2-880044226
2-880044223**

A limited inventory list should be provided
with this kit.


BANDING TOOL KIT

Quantity
Required

KIT - BANDING KIT - BANDING TOOL-DC

1H 0000-LL-CQA-2441

This kit identifies all equipment used for the function of providing emergency pipe patching material, as well as emergency securing devices for other components. Individual items are listed on AELs #2-880044226 (1 to 8 kits) and #2-88004223 (7 to 72 kits) and in alphabetical order in this guide.



1 Kit

Helpful Hints: Current requirement - stow items together as kit in DCRS. Requirement is for two 100 foot rolls of 1/2" steel strapping and one box containing (100) 1/2" seals (buckles) for steel strapping, clamping tool and a ball peen hammer.


Actual Inventory:

BANDING KIT - CLAMPING TOOL - STRAP BAND-IT KIT.

NSN 5120-00-278-9925

WT. 3.0 lbs.

VOL. 159.3 in.³



1

Helpful Hints:


Actual Inventory:

BANDING KIT - SEAL - STEEL STRAPPING BAND-IT BUCKLE

NSN 5340-00-244-7325 1/2" ST
(BOX OF 100 - 7" x 9" x 2")

WT. VARIOUS

VOL. VARIOUS



1
box

Helpful Hints: Each box contains 100 each 1/2" seals (buckles) for steel strapping.

Actual Inventory:

BANDING TOOL KIT


Quantity
Required

**BANDING KIT - STEEL STRAPPING - FLT
USED WITH BAND-IT BUCKLE**

NSN 5340-00-245-9438 1/2"

WT. 9.0 lbs (Avg)

VOL. 42.0 in³



**2
rolls**

Helpful Hints: Use a 1.5 lb. ball peen hammer to peen down rabbit ears on buckles when installing bands and buckles. Stow strapping in strapping container - 1HM0099-LL-H82-4841 when available or in original shipping container.


Actual Inventory:

CONTAINER - STRAPPING

1HM0099-LL-H82-4841

WT. 1.5 lbs

VOL. 121.0 in³



1

Helpful Hints: Used to stow steel strapping. Cut hole in case to insert bitter end of strapping for safety. NAVSEA will outfit as funds are available.

Actual Inventory:

GLOVES - CUT RESISTANT


1HS0000-LL-CQA-4568

NSN 4220-01-397-7348 - sz med

4220-01-397-7349 - sz lg

WT. 0.5 lbs.

VOL. 56.0 in.³



**2 pr
ea
size**


Helpful Hints: Always wear gloves - cut resistant type, eye protection and long sleeves for personnel safety when working during banding operations. NAVSEA will outfit as funds are available.

Actual Inventory:

BANDING TOOL KIT

Quantity
Required

HAMMER - MCHST
1-1/2 LB.
15" HANDLE, HICKORY



1


NSN 5120-00-061-8545

WT. 2.0 lbs. VOL. 60.0 in.³

Helpful Hints: Ball peen hammer used to knock down ears on buckle to secure strapping.

Actual Inventory:

STRONGBACK - FOR 2", 3" AND 4" PIPE



2

NSN 4710-00-468-8857 - 2" pipe
NSN 4710-00-468-8858 - 3" pipe
NSN 4710-00-468-8859 - 4" pipe

WT. 1.0 lbs. VOL. 28.0 in.³


Helpful Hints: All strongbacks are 3" x 7". Glue 1/8" rubber gasket to backside of strongback for ready use. Provide two of each size. NAVSEA will outfit as funds are available.

Actual Inventory:

WRENCH - CHAIN TYPE

NSN 5120-00-889-2050

WT. 3.0 lbs VOL. 162.0 in.³



3

Helpful Hints: 9" Long with 18" chain. Dry wrench after use. Keep lubricated and wrapped with a rag, to prevent rusting. NAVSEA will outfit as funds are available.

Actual Inventory: