DELETED ITEMS FROM DCRS EQUIPMENT

DCAS & Inspection teams - Ensure Equipment is removed from Damage Control useage and stowages to make stowage space available for new equipment enhancements.

DELETED ITEMS

Quantity
Required

BANDING KIT - CLAMPING TOOL - STRAP
BAND-IT KIT.



1HS0000-LL-CHO-4115
NSN 5180-00-288-6567
NSN 5120-00-278-9925

WT. 3.0 lbs. **VOL.** 159.3 in.^{3}

Helpful Hints: Deleted from Pipe Patching Kit.

BATTERY D CELL 1.5 VOLT



NSN: 6135-00-835-7210

WT. 0.5 lbs **VOL.** 3.5 in^3

Helpful Hints: Deleted from Gas Free Engineering Kit.

BLOCK AND FALL - 8" DBL
NOTE: BLOCK & FALL CONSISTS OF TWO BLOCKS AND
ONE 300 FT LENGTH OF ROPE CUT FROM
1-3/4" NYLON ROPE LISTED BELOW



1H 0000-LL-CJ7-5879 (COMPLETE SYSTEM)
NSN 3940-00-926-3710 BLOCK,TACKLE
NSN 3940-00-926-3718 BLOCK,TACKLE 8IN DBL R1
NSN 4020-00-560-7732 ROPE-1-3/4 IN CRCM X 1200 FT

WT. 47.0 lbs. **VOL.** 5040.0 in.^{3}

Helpful Hints: Deleted from Repair Locker Tool Kit.

DELETED ITEMS

Quantity
Required

CABLE - ASSEMBLY
CASUALTY POWER
75 FT

1HM0000-LL-CQA-0078



WT. 60.0 lbs **VOL.** 6,950.0 in^3

Helpful Hints: Deleted from AEL 2-880044201.

CASUALTY POWER - SWITCH
SYMBOL 1041
(FOR THREE PRONG CASUALTY POWER SYSTEM USEAGE ONLY)
NSN 5430-00-392-2894



WT. 15.0 lbs. **VOL.** 1,100.0 in^3

Helpful Hints: Deleted from all parent AELs.

CASUALTY POWER - WRENCH
(FOR THREE PRONG CASUALTY POWER SYSTEM USAGE ONLY)

NSN 5120-00-241-3181



WT. 0.4 lbs **VOL.** 4.6 in^3

Helpful Hints: Deleted from AEL 2-880044201.

COUPLING - PNEUM
HALF QUICK 1/2"
CLASS-OF

NSN 4730-00-277-5680



WT. 0.2 lbs. **VOL.** 1.2 $in.^3$

Helpful Hints: Previous requirement.
Deleted from Gas Free Engineer's Kit.

DELETED ITEMS

Quantity Required

COUPLING - PNEUM
HALF QUICK 1/2"
CLASS-OM



NSN 4730-00-289-4242

WT. 0.2 lbs. **VOL.** 1.5 in.^{3}

Helpful Hints: Previous requirement. Deleted from Gas Free Engineer's Kit.

COUPLING - STRAIGHT
1" X 1-43/64" - NPT



NSN 4210-00-187-7614

WT. 3.0 oz **VOL.** 1.3 in^3

Helpful Hints:

COUPLING - STRAIGHT
2" X 2-17/32" - NPT



NSN 4210-00-187-7617

WT. 7.0 oz **VOL.** 7.9 in^3

Helpful Hints:

COUPLING - STRAIGHT
2-1/2" X 2-78" - NPT



NSN 4210-00-187-7618

WT. 9.0 oz **VOL.** 14.1 in^3

Helpful Hints:

DELETED ITEMS

Quantity
Required

DRILL - HAND, STRAIGHT SHANK,
NSN 5110-00-293-3411

WT. 2.5 lbs. **VOL.** 412.5 in^3



Helpful Hints: (Herty Gerty) Drills up to 3/8" hole. Previous requirement. Deleted from Repair Locker Tool Kit.

FAN - VANEAXIAL
RED DEVIL BLOWER
500 CFM - 110 VOLTS

NSN 4140-00-267-0967
NSN 4140-01-204-2799 INLET BELL W/SCREEN
NSN 4140-01-130-2354 NOSE CONE
NSN 4240-01-344-5368 DUCT BELL ASSY



WT. 109.0 lbs. **VOL.** 5,510.8 in.^{3}

Helpful Hints: Deleted from AEL 2-880044200 (1 ea) and Desmoking Kit 2-880044238, 239 (2 ea).

FLEETPAK
(A pipe patching repair kit)



Helpful Hints: Deleted from NDI equipment.

DELETED ITEMS

Quantity Required

FUSE - 5 AMP
250 VOLTS OR LESS
NSN 5920-00-280-4426

(BOX OF 10)
WT. 0.5 lbs **VOL.** 12.1 in^3



Helpful Hints:

FUSE - 5 AMP
250 VOLTS OR LESS
NSN 5920-00-503-4479

(BOX OF 10)
WT. 0.5 lbs **VOL.** 12.1 in^3



Helpful Hints: Deleted from Electrical Repair Kit.

FUSE - 10 AMP
250 VOLTS OR LESS
NSN 5920-00-280-4431

(BOX OF 10)
WT. 0.7 lbs **VOL.** 12.1 in^3



Helpful Hints: Deleted from Electrical Repair Kit.

DELETED ITEMS

Quantity Required

FUSE - 15 AMP
125 VOLTS

NSN 5920-00-280-4428

(BOX OF 10)
WT. 0.4 lbs **VOL.** 12.1 in^3



Helpful Hints: Deleted from Electrical Repair Kit.

FUSE - 30 AMP
250 VOLTS OR LESS

NSN 5920-00-849-6475
(BOX OF 10)
WT. 0.4 lbs **VOL.** 12.1 in^3



Helpful Hints: Deleted from Electrical Repair Kit.

FUSE - 15 AMP
125 VOLTS

NSN 5920-00-846-5727
(BOX OF 10)

WT. 0.4 lbs **VOL.** 17.9 in^3



Helpful Hints: Deleted from Electrical Repair Kit.
Slow blow fuse used with the Red Devil Blower.

DELETED ITEMS

Quantity
Required

FUSE - CART

NSN 5920-00-851-4739
NSN 5920-00-853-0173

WT. 0.5 lbs **VOL.** 12.6 in^3

Helpful Hints: Fuse cart contains 10 fuses. Deleted from Electrical Repair Kit.

GROUNDING CABLE -
6 FOOT



NSN 6150-01-147-0359

WT. 1.0 lbs **VOL.** 144.0 in^3

Helpful Hints: Safety requirement. Used to ground blowers during gas free evolutions. Deleted from Gas Free Engineering Kit.

HOIST, CHAIN 3 TON CAP



NSN 3950-00-965-0097

WT. 105.0 lbs **VOL.** 1,258.0 in^3

Helpful Hints: Deleted from Repair Locker Tool Kit.

DELETED ITEMS

Quantity Required

HOSE - AIR DUCT 8"-EXTENDS TO 15' INTENDED FOR USE WITH PORTABLE VENTILATING SETS ON SHIPS WHERE NON-MAGNETIC EQUIPMENT IS NOT REQUIRED.



NSN 4720-00-277-7225

WT. 20.5 lbs. **VOL.** 3000.0 in.^{3}

Helpful Hints: Vent duct for Red Devil Blower. Deleted from AEL 2-880044211 (4 each) and Desmoking Kit 2-880044238, 239 (4 each).

HOSE ASSEMBLY - PNEUMATIC
5/16" x 50 FT.



NSN 4720-00-293-7997

WT. 12.0 lbs **VOL.** 337.5 in^3

Helpful Hints: Previous requirement. Deleted from Gas Free Engineering Kit.

KIT - LOW PRESSURE AIR LINE-DC

1H 0000-LL-CQA-2458

This kit identifies all equipment used for the function of restoring L.P. air to vital and non-vital systems. Individual items are listed on AEL #2-880044264 and in alphabetical order in this guide.

KIT - PLASTIC PATCH-PIPE REPAIR

1HM0000-LL-CQA-0095

Helpful Hints: Deleted from all parent AELs except 2-880044200 and 2-880044201.

DELETED ITEMS

Quantity Required

LAMB AIR MOVER -
3" MODEL 32119, 1640 CFM

NSN 4730-00-313-0680

WT. 6.5 lbs **VOL.** 2,521.0 in^3



Helpful Hints: Deleted from Gas Free Engineering Kit.

MASK - AIR LINE ASSEMBLY
TYPE 1 CLASS 2 WITH 25' OF 5/8"
AIRLINE HOSE
(AEL 2-88044047)





NSN 4240-00-040-8453 Filter
NSN 4240-00-275-3177 Airline Hose
NSN 4240-00-770-0268 Hose, Airline Mask
NSN 4240-00-770-0269 Filter
NSN 4240-00-770-0270 Cartridge
NSN 4240-01-022-1541 Submarines (Demand Regulating Mask)
NSN 4240-01-053-4228 Manifold, Double Outlet
NSN 4240-01-104-5402 Surface Ships (Pressure Demand Regulating Mask)
NSN 4720-00-245-2304 Extension Hose (25 ft)
NSN 4730-01-009-9520 Fitting (male)

WT. 5.1 lbs. = MASK **VOL.** 360.0 in^3
2.8 lbs. = HOSE 504.0 in^3

Helpful Hints: Deleted from Gas Free Engineering Kit.

OPERATIONAL TEST/CHECK KIT
FOR COMBUSTIBLE
GAS INDICATOR PORTABLE
NSN 6665-00-401-8500

WT. 5.0 lbs. **VOL.** 279.6 $in.^3$



Helpful Hints: Deleted from Gas Free Engineering Kit.

DELETED ITEMS

Quantity
Required

OPERATIONAL TEST/CHECK KIT -
MODEL 502



1H 0000-LL-CQA-2495

WT. 5.0 lbs. **VOL.** 262.0 in^3

Helpful Hints: Utilize operational test/check kit that matches equipment manufacturer onboard. Deleted from Gas Free Engineering Kit.

PP-CANISTER - MASK MK V (C-1) (GREY SHIPPING CONTAINER)
5" x 3-1/2"



NSN 4240-00-218-0779
(CAN OF 2)
WT. 1.4 lbs **VOL.** 66.0 in^3



Helpful Hints: Deleted from Unit Patrol Locker and Unit Patrol Station.

PP - CANISTER - OXYGEN GEN
(GREEN)



NSN 4240-00-174-1365

WT. 4.0 lbs **VOL.** 178.1 in^3

Helpful Hints: Deleted item from Investigator's Kit only.

DELETED ITEMS

Quantity Required

PP-HELMET - BATTLE



1HS0000-LL-CJ7-5888

WT. 3.0 lbs **VOL.** 1,025.4 in^3

Helpful Hints: Deleted from AELs:

2-880044200	1 each
2-880044201	1 each
2-880044202	1 each
2-880044203	as required
2-880044204	as required
2-880044205	as required
2-880044206	as required
2-880044207	as required

Replaced by FF helmets for all repair party personnel - for 1-7 DCRS ships. Ships with 8-10 DCRSs will receive full outfitting as NAVSEA funds are available.

RAKE - OVERHAUL
MANUFACTURED BY SHIP'S FORCE
REFER TO DWG NO: 804-5959242
GEN NOTE: IAW WITH NAVSEA "COAT HANDLE FROM TOP UP TO AND INCLUDING BRACKET WITH PLASTISOL IAW W/MIL-P-20689 TO IMPROVE GRIP AND TO PROVIDE ELECTRICAL INSULATION"



1HS0000-LL-CJ7-5891

WT. 12.0 lbs. **VOL.** 60.0 in^3

Helpful Hints: Deleted as replacement overhaul rake is received.

TERMINAL - QDSCNT



NSN 5940-00-196-2287

WT. 0.2 oz **VOL.** 1.6 in^3

Helpful Hints: Deleted from Welding Kit.

DELETED ITEMS

Quantity
Required



TOOL BOX - PORTABLE
22" x 8-1/2" x 9-1/2"

NSN 5140-00-315-2758

WT. 11.0 lbs **VOL.** 1,776.5 in^3

Helpful Hints: Deleted from LP Air Kit.

WATER-JEL
FIRE BLANKET

NSN: 9M 6510-01-242-2271

Helpful Hints: Deleted from NDI equipment.



WIRE ROPE ASSEMBLY -
(OBA TENDING LINE)
3/16" DIAMETER AND 50' LONG
EQUIPPED WITH SHANK HOOK EACH END

NSN 4010-00-285-9901

WT. 6.0 lbs **VOL.** 275.0 in^3

Helpful Hints: Deleted from Investigator's Kit, Repair Locker Tool Kit and Rescue and Assistance Kit.

DELETED ITEMS

Quantity
Required

WRENCH SET - SOCKET 3/8" DRIVE
23 PC SET



NSN 5120-00-322-6231

WT. 10.0 lbs **VOL.** 328.0 in^3

Helpful Hints: Deleted from DCPO Kit.

INVENTORY AID BOOKLET
for
DAMAGE CONTROL EQUIPMENT

RECOMMENDATION/SUGGESTION FORM

In the interest of continually improving the Inventory Aid Booklet for Damage Control Equipment, we would like to receive your suggestions for making this document a more effective tool for Navy personnel. To ensure that your suggestions are processed quickly and fully, please forward each recommendation on a separate form, with the requested information filled out. New changes will be presented annually at the CNO's DC/FF Working Group. Thank you for your time and effort in helping us improve this booklet.

ORIGINATOR INFORMATION

Name: _____

Ship/Station: _____

Address: _____

Daytime Phone Number: _____

Date: _____

RECOMMENDATIONS/SUGGESTION

What is the latest change incorporated into your DCEIA? _____
_____

Does this suggestion pertain to incorrect information currently contained in the DCEIA? (Y or N). Circle one.

If yes, what page(s) and paragraph(s) contain the error? _____
_____

Recommendation/Suggestion: _____
_____
_____
_____

MAIL COMMENTS TO:
COMMANDER
H. KUZMA 03G1
NAVAL SEA SYSTEMS COMMAND
2531 JEFFERSON DAVIS HWY
ARLINGTON, VA 22242-5160
CODE: NAVSEA 03G1