

## SECTION M

### M8 PAPER - CHEMICAL AGENT DETECTOR

NSN 6665-00-050-8529



WT. 7.0 oz                      VOL.     2.0 in<sup>3</sup>

**DESCRIPTION:** Chemically coated paper in sheets.

**USE:** Used to detect liquid nerve/blister agents.

**USE TIP:** Dispose of paper properly after use.

**REF:** CBR Detection Equipment Kit.



---

### M9 PAPER - CHEMICAL AGENT DETECTOR

NSN 6665-01-226-5589

(WITH DISPENSER)


WT. 7.0 oz                      VOL.     28.4 in<sup>3</sup>

**DESCRIPTION:** The paper sticks to clothes, vehicles, and other equipment. When the liquid chemical agent touches the paper, dye in the paper reacts with the agent to form pink, red, red-brown, or red-purple spots or streaks. Issued as a single roll 2" wide x 30' length.

**USE:** Used to detect all known nerve agents (G & V) and blister agents (H & L) in the liquid state. The paper can be used to provide warning by placement on surfaces prior to attack and to detect/confirm existing contamination.

**USE TIP:** Protective gloves should be worn when touching detector paper. The detector paper dye could cause cancer if placed in or near mouth or skin. Shelf life of 6 years. Manufacture date is on packaging and dispenser labeling of each roll. The chemical agent detector paper is not effective below 32° F or above 125° F. It will not detect chemical agent vapors. It may give false readings when exposed to heat above 125° F, scuffing, various petroleum products such as grease, gasoline or oil, defoliants and insecticides, DS2, decontaminating agent and many other chemicals encountered by the user.


**REF:** CBR Detection Equipment Kit.



**MARLINE-TAR - 2 PLY**

**NSN 4020-00-240-2185**

**WT.** 0.5 lbs.      **VOL.** 64.0 in<sup>3</sup>



**DESCRIPTION:** Tarred Hemp. 2 ply balance twist construction. 131', wrapped tightly around wooden dowel (12" broom handle stock).

**USE:** Used in pipe patching operations.

**USE TIP:** Also used for other general purpose damage control applications.

**REF:** Pipe Patching Kit. Repair Locker Tool Kit.

---


**MAUL**

5 LB., 32" HANDLE

**NSN 5120-00-255-1476**

**WT.** 6.7 lbs.      **VOL.** 542.5 in.<sup>3</sup>

**DESCRIPTION:** Maul with one flat striking surface and one wedge shaped end.



**USE:** Used to drive DC plugs and wedges in constructing wooden shoring or to maintain a watch.

shoring

**USE TIP:** Can be used for other damage control functions. Two per kit.

**REF:** Shoring Tool Kit. Plugging Kit.

---

**MESSAGE BLANKS**

