EMERGENCY LIGHTING KIT

AEL Range: 2-880044248 to 4249

A laminated inventory list should be provided with this kit.

EMERGENCY LIGHTING KIT

Quantity Required

KIT - EMERGENCY LIGHTING - DC

1H 0000-LL-CQA-2452

This kit identifies all equipment used for the function of providing extension cables and lights where power supply has been interrupted. This is used during shipboard casualties and Condition 1. Individual items are listed on AEL #2-880044248 and in alphabetical order in this guide.

BAG-KIT -



1

NSN 8460-00-606-8366

WT. 2.3 lbs **VOL.** 5,804.5 in^3

Helpful Hints: Utilize existing bag. Not to exceed 18" in dia/width. Order this bag as replacement. Bag used for small equipment items.

Actual Inventory: ☐

CABLE - ASSEMBLY
PWR 25 FT
1 OUTLET 3 CONDUCTOR
NSN 6450-00-449-1189

1



WT. 12.0 lbs. **VOL.** 1,512.0 in^3

Helpful Hints: Multiple outlet.
Provided as NAVSEA funds are available

Actual Inventory: ☐

CABLE - ASSEMBLY
PWR 50 FT
1 OUTLET 3 CONDUCTOR
1HS000-LL-CC1-3787

2



WT. 5.0 lbs. **VOL.** 756.0 in^3

Helpful Hints: Fabricate using 50 ft. of NSN 9Z 6145-00-548-1268. 1 each NSN 9N 5935-01-012-3066 and 1 each NSN 9N 5935-01-005-3579. Wire is size 14, 3 conductor OD.610, heavy duty, flexible.

Actual Inventory: ☐

EMERGENCY LIGHTING KIT

Quantity Required

LANTERN - ELECTRIC (FLOOD SEAL BEAM)
WET CELL, DAMAGE CONTROL FLOOD TYPE.



4

NSN 6230-00-643-3661

WT. 4.0 lbs. **VOL.** 919.80 in.^{3}

Helpful Hints: U.S.S Stark Lessons Learned item. Recommend stowing on rubber mat to prevent battery drainage of wet cell batteries. Kit - Battery Conversion 1HM0099-LL-H40-4396. See AEL 2-880044298.

Actual Inventory: ☐

LIGHT - EXT
EXPLOSION PROOF, 50 FT.



1

NSN 6230-00-701-2947

WT. 10.0 lbs. **VOL.** 869.5 in^3

Helpful Hints: Stored in bag. Item relocated from parent repair locker AEL.

Actual Inventory: ☐

WAND - LGT CHMCL HAN YELLOW
BOX OF 10 WANDS



8

NSN 6260-01-074-4230

WT. 11.0 oz **VOL.** 62.0 in^3

Helpful Hints: Chem lights should be stowed in bag.

Actual Inventory: ☐